



Android tracing, monitoring and debugging



Contents



A quality version of this page, approved on 15 February 2021, was based off this revision.

This article provides useful information to start using Android™ tracing, monitoring and debugging environments.

Contents

1 Specific Linux® tracing and debugging tools	4
2 Android tools	5
2.1 Application debugging	5
2.2 logcat	5
2.3 perfetto	5
3 References	6



1 Specific Linux[®] tracing and debugging tools

In Android™ various Linux tracing and debugging tools are available. To get the global picture, refer to Linux tracing, monitoring and debugging page.



2 Android tools

2.1 Application debugging

You can use Android Studio to debug your Android application. Please read the official documentation about Android Studio^[1].

2.2 logcat

The Android logging system provides a mechanism for collecting and viewing system debug output. Logs from various applications and portions of the system are collected in a series of circular buffers, which then can be viewed and filtered by the `logcat` command. Use `logcat` from an `ADB` shell to view the log messages.

For more information refer to the Android developer site^[2].

2.3 perfetto

Perfetto is an open-source project for performance instrumentation and tracing of Android platforms and user-space apps.

For more information refer to the [perfetto](#) page.



3 References

- <https://developer.android.com/studio/debug>
- <https://developer.android.com/studio/command-line/logcat>

Linux® is a registered trademark of Linus Torvalds.