



---

## FMC device tree configuration



---

## Contents

---

1. FMC device tree configuration .....	3
--	---




---

Search for revisions From year (and earlier):      From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)16:07, 15 April 2021 m . . \(16,704 bytes\) \(-168\) \[Reviewed: 16:08, 15 April 2021 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)09:41, 13 November 2020 m . . \(16,602 bytes\) \(+38\) \[Reviewed: 10:48, 19 November 2020 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)07:00, 14 May 2020 m . . \(6,918 bytes\) \(+10\) \[Reviewed: 07:01, 14 May 2020 | \]](#)
- [\(cur | prev\)13:26, 16 September 2019 . . \(6,908 bytes\) \(-177\) \[Reviewed: 13:27, 16 September 2019 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)13:40, 19 July 2019 . . \(7,048 bytes\) \*\*\(-911\)\*\* . . \(â remove all TF-A specific information, driver doesn't manage directly the OTP anymore, the plaftorm does.\)\[automatically approved\] \[Reviewed: 13:40, 19 July 2019 | \]](#)
- [\(cur | prev\)13:55, 21 January 2019 m . . \(7,048 bytes\) \*\*\(+7,048\)\*\* . . \(â DT configuration \(board level\)\) \[Reviewed: 11:21, 11 February 2019 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)

Stable: 15.04.2021 - 16:08 / Revision: 15.04.2021 - 16:07

Search for revisions From year (and earlier):      From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)16:07, 15 April 2021 m . . \(16,704 bytes\) \(-168\) \[Reviewed: 16:08, 15 April 2021 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)09:41, 13 November 2020 m . . \(16,602 bytes\) \(+38\) \[Reviewed: 10:48, 19 November 2020 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)07:00, 14 May 2020 m . . \(6,918 bytes\) \(+10\) \[Reviewed: 07:01, 14 May 2020 | \]](#)
- [\(cur | prev\)13:26, 16 September 2019 . . \(6,908 bytes\) \(-177\) \[Reviewed: 13:27, 16 September 2019 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)13:40, 19 July 2019 . . \(7,048 bytes\) \*\*\(-911\)\*\* . . \(â remove all TF-A specific information, driver doesn't manage directly the OTP anymore, the plaftorm does.\)\[automatically approved\] \[Reviewed: 13:40, 19 July 2019 | \]](#)
- [\(cur | prev\)13:55, 21 January 2019 m . . \(7,048 bytes\) \*\*\(+7,048\)\*\* . . \(â DT configuration \(board level\)\) \[Reviewed: 11:21, 11 February 2019 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)