



## STM32MPU distribution for Android



---

## Contents

---

1. STM32MPU distribution for Android .....	3
2. Boot chain overview .....	5
3. Category:STM32MPU Embedded Software distribution for Android .....	7
4. OP-TEE overview .....	10
5. TF-A overview .....	12
6. U-Boot overview .....	14



A quality version of this page, accepted on 9 March 2021, was based off this revision.

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
  - The **boot chain** based on TF-A and U-Boot.
  - The **OP-TEE** secure OS running on the Cortex-A core in Secure mode.
  - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
  - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
  - **Android** application frameworks running in Linux OS user space (see AOSP<sup>[1]</sup> for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP<sup>[2]</sup>.
- The Linux kernel configuration is based on the reference configuration available in AOSP<sup>[3]</sup>.

**Android** application frameworks are based on the AOSP platform manifest<sup>[4]</sup>. By default, one of the Google tags<sup>[5]</sup> is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



---

## 1 How to get the software for this distribution?

---

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



## 2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 10.11.2020 - 07:59 / Revision: 10.11.2020 - 07:58

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
  - The boot chain based on TF-A and U-Boot.
  - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
  - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
  - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
  - **Android** application frameworks running in Linux OS user space (see AOSP<sup>[1]</sup> for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP<sup>[2]</sup>.
- The Linux kernel configuration is based on the reference configuration available in AOSP<sup>[3]</sup>.

**Android** application frameworks are based on the AOSP platform manifest<sup>[4]</sup>. By default, one of the Google tags<sup>[5]</sup> is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



## 1 How to get the software for this distribution?

---

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



## 2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 17.08.2020 - 15:27 / Revision: 16.01.2020 - 13:36

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
  - The boot chain based on TF-A and U-Boot.
  - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
  - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
  - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
  - **Android** application frameworks running in Linux OS user space (see AOSP<sup>[1]</sup> for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP<sup>[2]</sup>.
- The Linux kernel configuration is based on the reference configuration available in AOSP<sup>[3]</sup>.

**Android** application frameworks are based on the AOSP platform manifest<sup>[4]</sup>. By default, one of the Google tags<sup>[5]</sup> is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



---

## 1 How to get the software for this distribution?

---

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.





---

## 2 References

---

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

*Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.*



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application

Android Open Source Project



## Subcategories

This category has the following 2 subcategories, out of 2 total.

### A

- Android distribution (2 P)


### S

- [STM32Cube MPU Package \(3 P\)](#)  
Stable: 13.05.2020 - 08:56 / Revision: 13.05.2020 - 08:54

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
  - The **boot chain** based on TF-A and U-Boot.
  - The **OP-TEE** secure OS running on the Cortex-A core in Secure mode.
  - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
  - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
  - **Android** application frameworks running in Linux OS user space (see AOSP<sup>[1]</sup> for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP<sup>[2]</sup>.
- The Linux kernel configuration is based on the reference configuration available in AOSP<sup>[3]</sup>.

**Android** application frameworks are based on the AOSP platform manifest<sup>[4]</sup>. By default, one of the Google tags<sup>[5]</sup> is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



## 1 How to get the software for this distribution?

---

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



## 2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 17.02.2021 - 19:40 / Revision: 16.02.2021 - 16:25

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
  - The boot chain based on TF-A and U-Boot.
  - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
  - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
  - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
  - **Android** application frameworks running in Linux OS user space (see AOSP<sup>[1]</sup> for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP<sup>[2]</sup>.
- The Linux kernel configuration is based on the reference configuration available in AOSP<sup>[3]</sup>.

**Android** application frameworks are based on the AOSP platform manifest<sup>[4]</sup>. By default, one of the Google tags<sup>[5]</sup> is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



---

## 1 How to get the software for this distribution?

---

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



## 2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 01.03.2021 - 10:54 / Revision: 01.03.2021 - 10:53

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
  - The boot chain based on TF-A and U-Boot.
  - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
  - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
  - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
  - **Android** application frameworks running in Linux OS user space (see AOSP<sup>[1]</sup> for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP<sup>[2]</sup>.
- The Linux kernel configuration is based on the reference configuration available in AOSP<sup>[3]</sup>.

**Android** application frameworks are based on the AOSP platform manifest<sup>[4]</sup>. By default, one of the Google tags<sup>[5]</sup> is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



---

## 1 How to get the software for this distribution?

---

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



---

## 2 References

---

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

*Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.*



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application

Android Open Source Project