



File:Info white.png

---

File:Info white.png



---

## Contents

---

---



[quality revision]

Revision as of 14:04, 15 October 2021 (view source)  
Nathalie Sangouard (talk | contribs)  
(Merge articles)

[quality revision]

Latest revision as of 15:15, 21 October 2021 (view source)  
Vincent Abriou (talk | contribs)  
m

Line 1:

Line 1:

- +
- +
- +



---

**Latest revision as of 15:15, 21 October 2021**

---



## File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	14:04, 15 October 2021		64 x 64 (1 KB)	Nhalie Sangouard (talk   contribs)	Merge upload

- You cannot overwrite this file.



---

## File usage

---

More than 100 pages link to this file. The following list shows the first 100 page links to this file only. A full list is available.

- [ADC Linux driver](#)
- [ADC device tree configuration](#)
- [BSEC internal peripheral](#)
- [Crypto API overview](#)
- [DAC Linux driver](#)
- [DAC device tree configuration](#)
- [DRM KMS overview](#)
- [Device tree](#)
- [ETH internal peripheral](#)
- [EXTI internal peripheral](#)
- [Example of directory structure for Packages](#)
- [FDCAN internal peripheral](#)
- [Getting started/STM32MP1 boards/STM32MP157x-DK2/Develop on Arm® Cortex®-A7](#)
- [Getting started/STM32MP1 boards/STM32MP157x-DK2/Develop on Arm® Cortex®-A7/Create a simple hello-world application](#)
- [Getting started/STM32MP1 boards/STM32MP157x-DK2/Develop on Arm® Cortex®-A7/Install the SDK](#)
- [Getting started/STM32MP1 boards/STM32MP157x-DK2/Develop on Arm® Cortex®-A7/Modify, rebuild and reload the Linux® kernel](#)
- [Getting started/STM32MP1 boards/STM32MP157x-DK2/Develop on Arm® Cortex®-M4/Modify, rebuild and reload a firmware](#)
- [Getting started/STM32MP1 boards/STM32MP157x-DK2/Let's start](#)
- [Getting started/STM32MP1 boards/STM32MP157x-EV1/Develop on Arm® Cortex®-A7](#)
- [Getting started/STM32MP1 boards/STM32MP157x-EV1/Let's start](#)
- [Getting started/STM32MP1 boards/STM32MP157x-EV1/Let's start/Unpack the STM32MP157x-EV1 board](#)
- [Gst-play](#)
- [How to assign an internal peripheral to a runtime context](#)
- [How to avoid proxy issues](#)
- [How to configure TF-A BL2](#)
- [How to configure ethernet interface](#)
- [How to create a new open embedded layer](#)
- [How to cross-compile with the Developer Package](#)
- [How to cross-compile with the Distribution Package](#)
- [How to launch Khronos OpenGL ES conformance tests](#)
- [How to play audio](#)
- [How to populate and boot a board with OP-TEE](#)
- [How to populate the SD card with dd command](#)
- [How to setup wifi connection](#)
- [How to start the coprocessor from the bootloader](#)
- [How to stream camera over network](#)
- [How to transfer a file over serial console](#)



- 
- [How to use the IIO user space interface](#)
  - [I2C device tree configuration](#)
  - [I2C i2c-tools](#)
  - [I2C overview](#)
  - [I2S Linux driver](#)
  - [LTTng](#)
  - [Linux remoteproc framework overview](#)
  - [Linux tracing, monitoring and debugging](#)
  - [Main Page](#)
  - [Menuconfig or how to configure kernel](#)
  - [NVMEM overview](#)
  - [OTG device tree configuration](#)
  - [OpenEmbedded - devtool](#)
  - [OpenSTLinux directory structure](#)
  - [PC prerequisites](#)
  - [PWM overview](#)
  - [Resource manager for coprocessing](#)
  - [SAI device tree configuration](#)
  - [SDK for OpenSTLinux distribution](#)
  - [SDMMC internal peripheral](#)
  - [SPI overview](#)
  - [STM32CubeMP1 Package](#)
  - [STM32CubeMP1 architecture](#)
  - [STM32CubeProgrammer](#)
  - [STM32MP157x-DKx - hardware description](#)
  - [STM32MP15 Discovery kits - Starter Package](#)
  - [STM32MP15 Evaluation boards - Starter Package](#)
  - [STM32MP15 Flash mapping](#)
  - [STM32MP15 OpenSTLinux release note](#)
  - [STM32MP15 backup registers](#)
  - [STM32MP15 clock tree](#)
  - [STM32MP15 device tree](#)
  - [STM32MP15 ecosystem release note](#)
  - [STM32MP15 resources](#)
  - [STM32MP1 Developer Package](#)
  - [STM32MP1 Distribution Package](#)
  - [Serial TTY device tree configuration](#)
  - [Serial TTY overview](#)
  - [Subpart - STM32MP15 - Starter Package](#)
  - [TAMP internal peripheral](#)
  - [TIM device tree configuration](#)
  - [TTY tools](#)
  - [USBH device tree configuration](#)
  - [USBPHYC device tree configuration](#)
  - [USB overview](#)
  - [V4L2 camera overview](#)



- 
- [VREFBUF internal peripheral](#)
  - [Wayland Weston overview](#)
  - [Weston keyboard shortcuts](#)
  - [Which STM32MPU Embedded Software Package better suits your needs](#)
  - [Template:Av ref file](#)
  - [Template:ImageMap](#)
  - [Template:Info](#)
  - [Template:Orange](#)
  - [Template:Red](#)
  - [WikiAdmin:Wiki instance maintenance](#)
  - [Contributors:Category model](#)
  - [Contributors:Framework overview article model](#)
  - [Contributors:Hardware components article model](#)
  - [Contributors:How to article model](#)
  - [Contributors:Internal peripheral article model](#)
  - [Contributors:Linux driver article model](#)
  - [Contributors:Peripheral or framework device tree configuration model](#)





---

## Metadata

---

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it. If the file has been modified from its original state, some details may not fully reflect the modified file.

**Horizontal resolution** 28.35 dpc

**Vertical resolution** 28.35 dpc