



How to exchange data buffers with the coprocessor

How to exchange data buffers with the coprocessor



Contents



Search for revisions From year (and earlier): From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

(newest | oldest) View (newer 50 | older 50) (20 | 50 | 100 | 250 | 500)

- [\(cur | prev\)12:53, 20 July 2021 m . . \(13,373 bytes\) \(+15\) \[Reviewed: 12:53, 20 July 2021 | | \[Expert: Aproved, Technical writer: Approved, Maintainer: Approved\]\]](#)
- [\(cur | prev\)13:24, 30 June 2021 m . . \(13,319 bytes\) \(+1\) . . \(â rpmsg_tty driver\) \[Reviewed: 13:06, 2 July 2021 | \]](#)
- [\(cur | prev\)09:03, 28 October 2020 m . . \(6,464 bytes\) \(-62\) \[Reviewed: 13:21, 7 January 2021 | \]](#)
- [\(cur | prev\)14:47, 14 January 2020 m . . \(6,526 bytes\) \(+71\) \[Reviewed: 16:10, 16 January 2020 | \]](#)

(newest | oldest) View (newer 50 | older 50) (20 | 50 | 100 | 250 | 500)