



How to find Linux kernel driver
associated to a device



How to find Linux kernel driver associated to a device

Stable: 18.09.2019 - 09:58 / Revision: 18.09.2019 - 09:56

Contents

1 Introduction	2
2 Find kernel driver for a device	2
2.1 Major and minor numbers for a Linux kernel device	2
2.2 List of available devices	2
2.3 Device entries in /dev	4
2.4 System device entries in /sys/dev	4
2.5 Driver associated to a platform device	4
3 References	5

1 Introduction

This article shows the user how to find the Linux[®] kernel driver associated to a kernel device.

This can, for example, be useful when debugging devices that the user does not know, or monitoring for correct system behavior.

2 Find kernel driver for a device

2.1 Major and minor numbers for a Linux kernel device

The device files in the Linux kernel are associated to a MAJOR and a MINOR number, giving each file a unitary identity. This abstraction of device handling is a basic features of the Linux kernel.

A list of MAJOR numbers, and rules for MINOR numbers are given in *Documentation/admin-guide/devices.txt* of the Linux kernel source^[1], or in kernel.org^[2].

2.2 List of available devices

A list of the available devices for the Linux kernel can be read from the procfs file */proc/devices*:

```
Board $> cat /proc/devices
```



How to find Linux kernel driver associated to a device

This lists all of the available devices, according to their classification as a character or a block device.

The number preceding the device name corresponds to the MAJOR number of the device (for example, "4" is the MAJOR number for the "tty" device):

Character devices:

```
1 mem
2 pty
3 ttyp
4 /dev/vc/0
4 tty
5 /dev/tty
5 /dev/console
5 /dev/ptmx
5 ttyRPMMSG
7 vcs
10 misc
13 input
21 sg
29 fb
81 video4linux
89 i2c
90 mtd
116 alsa
128 ptm
136 pts
153 spi
166 ttyACM
180 usb
189 usb_device
199 galcore
226 drm
245 cec
246 media
247 ttySTM
248 bsg
249 watchdog
250 iio
251 ptp
252 pps
253 rtc
254 gpiochip
```

Block devices:

```
1 ramdisk
7 loop
8 sd
11 sr
31 mtblock
65 sd
66 sd
67 sd
68 sd
69 sd
70 sd
71 sd
128 sd
129 sd
130 sd
131 sd
132 sd
```



How to find Linux kernel driver associated to a device

```
133 sd
134 sd
135 sd
179 mmc
254 virtblk
259 blkext
```

For further information about the major and minor numbers for a Linux kernel driver, refer to the Linux tutorial web page^[3].

Note: Misc devices have a specific setup; you can find the list of misc devices with the corresponding MINOR number in the `/proc/misc` file.

2.3 Device entries in /dev

Each device has a corresponding entry in the `/dev` directory of the Linux kernel pseudo filesystem.

```
Board $> ls -lR /dev
```

Be careful, /dev contains some sub-directories containing device entries, that is, *input*. That the reason why *-R* should be used.

This command lists all of the device entries, including the device type and the associated MAJOR and MINOR numbers

For example:

```
crw-rw---- 1 root video 81, 0 Dec 18 16:26 video0
```

This device `video0` is of type character (c), with MAJOR number of 81 and MINOR number of 0.

2.4 System device entries in /sys/dev

All devices, classified by type (char or block), and identified by their MAJOR/MINOR number can be found in the `dev` subdirectory of the `sysfs` file system entry (`/sys`).

A platform device is then linked to each MAJOR/MINOR number.

For example:

```
Board $> ls -l /sys/dev/char/81\:0
lrwxrwxrwx 1 root root 0 Dec 18 17:00 81:0 -> ../../devices/platform/soc/4c006000.dcmi/vid
```

The device `video0` is linked to the platform device `4c006000.dcmi/video4linux/video0`.

2.5 Driver associated to a platform device

If the device is linked to a platform device, you can find the corresponding driver definition in the device tree with the `compatible` parameter.

For example: Look for device `4c006000.dcmi/video4linux/video0` in `arch/arm/boot/dts/stm32mp157c.dtsi`.



How to find Linux kernel driver associated to a device

```
...
dcmi: dcmi@4c006000 {
  compatible = "st,stm32-dcmi";
  reg = <0x4c006000 0x400>;
  interrupts = <GIC_SPI 78 IRQ_TYPE_NONE>;
  resets = <&rcc CAMITF_R>;
  clocks = <&rcc DCMI>;
  clock-names = "mclk";
  dmas = <&dmamux1 75 0x400 0x05>;
  dma-names = "tx";
  status = "disabled";
};
...
```

The driver associated to the video0 device is **st,stm32-dcmi**.

If the driver belongs to your Linux kernel tree, you can search for the driver by declaring st,stm32-dcmi as a compatible device.

- In the previous example, when looking for the driver compatible with st,stm32-dcmi, you find *drivers/media/platform/stm32/stm32-dcmi.c* driver

```
PC $> cd <your_kernel_source_path>
PC $> grep -rs "st,stm32-dcmi" *
...
drivers/media/platform/stm32/stm32-dcmi.c:      { .compatible = "st,stm32-dcmi"},
...
```

If the driver is not part of your Linux kernel source tree, it is present as a kernel object library file and you can check on the board:

```
Board $> cd /lib/modules/<kernel_version>
Board $> grep <compatible_name> modules.alias
```

This gives you the name of the module driver.

For example, for the gcnano driver used for the GPU:

```
Board $> grep "st,gcnano" modules.alias
alias of:N*T*Cst,gcnano galcore
```

This means that the module name is **galcore.ko**.

3 References

- [â Documentation/admin-guide/devices.txt](#)
- [â https://www.kernel.org/doc/Documentation/admin-guide/devices.txt](https://www.kernel.org/doc/Documentation/admin-guide/devices.txt)
- [â http://www.linux-tutorial.info/modules.php?name=MContent&pageid=94](http://www.linux-tutorial.info/modules.php?name=MContent&pageid=94)

Process File System (See <https://en.wikipedia.org/wiki/Procs> for more details)



How to find Linux kernel driver associated to a device

System File System (See <https://en.wikipedia.org/wiki/Sysfs> for more details)

Generic Interrupt Controller

Serial Peripheral Interface

Digital Camera Memory Interface

Graphics Processing Units