

MMC overview

Stable: 16.09.2019 - 16:05 / Revision: 16.09.2019 - 16:04

SUMMARY

The MMC (MultiMediaCard) / SD (secure digital) / SDIO (secure digital input/output) subsystem implements a standard Linux[®] host driver to interface with MMC / SD memory cards or SDIO cards.

Contents

1 Framework purpose	1
2 System overview	2
2.1 Component description	2
2.2 API description	3
3 Configuration	3
3.1 Kernel configuration	3
3.2 Device tree configuration	3
4 How to use the framework	3
5 How to trace and debug the framework	3
5.1 How to monitor	3
5.2 How to trace	4
6 Source code location	4
7 References	4


1 Framework purpose

The purpose of this article is to introduce the MMC Linux[®] subsystem (MMC / SD) by:

- providing general information
- describing the main components/stakeholders

The SDIO is addressed in the [WLAN overview](#).

2 System overview



2.1 Component description

- User space applications handle **file I/O** management to view the card memory as a disk, whereas programs that perform **raw I/O** accesses see the memory as a block device^[1].
- **VFS** (Kernel space)

Virtual File System. Please refer to the VFS documentation^[2].

- **MMC core/SD/MMC/SDIO** (Kernel space)

The **MMC core** ensures compliance with MultiMediaCard (**MMC**)^[3] / secure digital (**SD**)^[4] / secure digital input/output (**SDIO**)^[5].

- **SDMMC driver** (Kernel space) / **SDMMC** (hardware)

The **SDMMC driver** handles:

- the registers, the clock, the interrupt and the IDMA control.

- the communications over the bus based on command/response and data transfers.

Please refer to the [SDMMC internal peripheral](#).

2.2 API description

The MMC core handles the file system read/write calls.

3 Configuration

3.1 Kernel configuration

The MMC framework is activated by default in ST deliveries. If a specific configuration is needed, this section indicates how the MMC framework can be activated/inactivated in the kernel.

The MMC framework can be activated in the kernel configuration via Linux[®] Menuconfig tool: [Menuconfig or how to configure kernel](#)

```
[*] Device Drivers
  [*] MMC/SD/SDIO card support
    <*> HW reset support for eMMC
    <*> Simple HW reset support for MMC
    <*> MMC block device driver
        (16) Number of minors per block device
    ...
    <*> ARM AMBA Multimedia Card Interface support
  [*] STMicroelectronics STM32 SDMMC Controller
```

3.2 Device tree configuration

DT configuration can be done thanks to [STM32CubeMX](#).

Please refer to the [SDMMC device tree configuration](#).

4 How to use the framework

A file system, which handles read/write/erase operations, can be used with the MMC framework. Please refer to the [EXT4 support through MMC](#).

5 How to trace and debug the framework

5.1 How to monitor

The sysfs interface provides detailed information on each mmc device:

```
root:~# cat /sys/kernel/debug/mmc0/ios
clock:          500000000 Hz
vdd:            21 (3.3 ~ 3.4 V)
```

```
bus mode:      2 (push-pull)
chip select:   0 (don't care)
power mode:    2 (on)
bus width:     2 (4 bits)
timing spec:   2 (sd high-speed)
signal voltage: 0 (3.30 V)
driver type:   0 (driver type B)
```

5.2 How to trace

For details on dynamic trace usage, refer to [How to use the kernel dynamic debug](#).

```
root:~# echo "file drivers/mmc/* +p" > /sys/kernel/debug/dynamic_debug/control
```

6 Source code location

The MMC framework is available [here](#) .

7 References

Please refer to the following links for a full description of the MMC framework:

1. ↑ https://en.wikipedia.org/wiki/Device_file#Block_devices
2. ↑ [VFS](#)
3. ↑ [MultiMediaCard](#), embedded MultiMediaCard specification
4. ↑ [Secure Digital](#), secure digital specification
5. ↑ [Secure Digital Input Output](#), Secure Digital Input Output specification

MultimediaCard

Secure digital

Virtual File System - NEW

Secure digital input/output

Application programming interface

SDIO is an SD-size card with extended input/output functions

former spelling for e•MMC ('e' in *italic*)

Device Tree

System File System (See <https://en.wikipedia.org/wiki/Sysfs> for more details)