



SAI internal peripheral



Contents

1. SAI internal peripheral	3
2. STM32MP15 resources	6
3. ALSA overview	7
4. STM32CubeMP1 architecture	7
5. STM32CubeMX	7
6. SAI Linux driver	7
7. Soundcard configuration	7
8. SAI device tree configuration	8
9. STM32MPU Embedded Software architecture overview	8
10. How to assign an internal peripheral to a runtime context	8
11. Device tree	8



SAI internal peripheral

Stable: 21.01.2020 - 13:23 / Revision: 21.01.2020 - 13:21

Contents

1 Article purpose	3
2 Peripheral overview	3
2.1 Features	3
2.2 Security support	4
3 Peripheral usage and associated software	4
3.1 Boot time	4
3.2 Runtime	4
3.2.1 Overview	4
3.2.2 Software frameworks	4
3.2.3 Peripheral configuration	4
3.2.3.1 Configuration in Cortex-A7 non-secure software	5
3.2.3.2 Arm [®] Cortex [®] -M4 software configuration	5
3.2.4 Peripheral assignment	5
4 How to go further	6
5 References	6

1 Article purpose

The purpose of this article is to:

- briefly introduce the SAI peripheral and its main features
- indicate the level of security supported by this hardware block
- explain how each instance can be allocated to the three runtime contexts and linked to the corresponding software components
- explain how to configure the SAI peripheral.

2 Peripheral overview

The SAI (Serial Audio Interface) offers a wide set of audio protocols, such as: I2S standards (LSB or MSB-justified), PCM /DSP, TDM and S/PDIF. The SAI contains two independent audio sub-blocks. Each sub-block has its own clock generator and I/O line controller, and can be configured either as transmitter or receiver.

2.1 Features

Refer to [STM32MP15 reference manuals](#) for the complete feature list, and to the software components, introduced below, to see which features are implemented.



2.2 Security support

All the SAI instances are **non secure** peripherals.

3 Peripheral usage and associated software

3.1 Boot time

The SAI is not used at boot time.

3.2 Runtime

3.2.1 Overview

SAI instances can be allocated to:

- the Cortex-A7 non-secure for use in Linux with ALSA framework
- the Cortex-M4 for use in STM32Cube with STM32Cube SAI driver

Chapter #Peripheral assignment exposes which instance can be assigned to which context.

3.2.2 Software frameworks

Do	Peri	Software frameworks			Comment
mai Cor tex -A7 no sec ure (O P- TE E)	Cor tex -A7 no n- sec ure (Li nux)	Cortex-M4 (STM32Cube)			
Au dio	SA I		ALSA framework	STM32Cube SAI driver	

3.2.3 Peripheral configuration

The configuration is applied by the firmware running in the context to which the peripheral is assigned. The configuration can be done alone via the STM32CubeMX tool for all internal peripherals, then manually completed (particularly for external peripherals), according to the information given in the corresponding software framework article.



Do ma in	Per iph era l	Runtime allocation				Comme nt
A u di o	S A I	SAI2			Assig nment (singl e choice)	
		SAI3			Assig nment (singl e choice)	
		SAI4			Assig nment (singl e choice)	

4 How to go further

STM32H7 SAI training ^[2] introduces the SAI features and applications. The SAI versions in STM32H7 and STM32MP15 are very close. In consequence this training is also relevant for STM32MP15. The user should refer to the [STM32MP15 reference manuals](#) for a complete description.

5 References

- Device tree
- STM32H7 SAI training

Serial Audio Interface (Mechanism used to transfer non-buffered audio data between processors and/or audio converters.)

Integrated Interchip Sound

Sony/Philips Digital Interface Format (Protocol (IEC-60958))

Open Portable Trusted Execution Environment



Permission error

Stable: 24.06.2020 - 17:52 / Revision: 24.06.2020 - 12:32

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 15.04.2020 - 08:02 / Revision: 15.04.2020 - 08:00

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 21.02.2020 - 08:39 / Revision: 04.02.2020 - 15:22

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 31.01.2020 - 13:04 / Revision: 31.01.2020 - 13:02

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 22.10.2019 - 08:02 / Revision: 22.10.2019 - 08:01

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 27.01.2020 - 10:13 / Revision: 27.01.2020 - 10:12

You do not have permission to read this page, for the following reason:



The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 02.06.2020 - 14:34 / Revision: 28.05.2020 - 07:08

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 15.10.2019 - 11:55 / Revision: 15.10.2019 - 11:55

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 22.06.2020 - 09:50 / Revision: 22.06.2020 - 09:49

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer

Permission error

Stable: 04.02.2020 - 07:47 / Revision: 04.02.2020 - 07:34

You do not have permission to read this page, for the following reason:

The action "Read pages" for the draft version of this page is only available for the groups ST_editors, ST_readers, Selected_editors, sysop, reviewer