



STM32MPU distribution for Android



Contents

1. STM32MPU distribution for Android	3
2. Boot chains overview	5
3. Category:STM32MPU Embedded Software distribution for Android	7
4. OP-TEE overview	10
5. TF-A overview	12
6. U-Boot overview	14



A quality version of this page, approved on 23 June 2020, was based off this revision.

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
 - The **boot chain** based on TF-A and U-Boot.
 - The **OP-TEE** secure OS running on the Cortex-A core in Secure mode.
 - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
 - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
 - **Android** application frameworks running in Linux OS user space (see AOSP^[1] for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP^[2].
- The Linux kernel configuration is based on the reference configuration available in AOSP^[3].

Android application frameworks are based on the AOSP platform manifest^[4]. By default, one of the Google tags^[5] is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



1 How to get the software for this distribution?



The STM32MPU distribution for Android™ is not yet available in the v3 ecosystem releases: please refer to the [STM32MPU distribution for Android page for the v1 ecosystem releases \(in archived wiki\)](#).

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 25.09.2020 - 08:36 / Revision: 25.09.2020 - 08:35

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
 - The boot chain based on TF-A and U-Boot.
 - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
 - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
 - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
 - **Android** application frameworks running in Linux OS user space (see AOSP^[1] for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP^[2].
- The Linux kernel configuration is based on the reference configuration available in AOSP^[3].

Android application frameworks are based on the AOSP platform manifest^[4]. By default, one of the Google tags^[5] is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



1 How to get the software for this distribution?



The STM32MPU distribution for Android™ is not yet available in the v3 ecosystem releases: please refer to the [STM32MPU distribution for Android page for the v1 ecosystem releases \(in archived wiki\)](#).

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 17.08.2020 - 15:27 / Revision: 16.01.2020 - 13:36

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
 - The boot chain based on TF-A and U-Boot.
 - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
 - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
 - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
 - **Android** application frameworks running in Linux OS user space (see AOSP^[1] for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP^[2].
- The Linux kernel configuration is based on the reference configuration available in AOSP^[3].

Android application frameworks are based on the AOSP platform manifest^[4]. By default, one of the Google tags^[5] is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



1 How to get the software for this distribution?



The STM32MPU distribution for Android™ is not yet available in the v3 ecosystem releases: please refer to the [STM32MPU distribution for Android page for the v1 ecosystem releases \(in archived wiki\)](#).

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application

Android Open Source Project



Subcategories

This category has the following 2 subcategories, out of 2 total.

A

- Android distribution (2 P)

S


- [STM32Cube MPU Package \(3 P\)](#)

Stable: 13.05.2020 - 08:56 / Revision: 13.05.2020 - 08:54

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
 - The **boot chain** based on TF-A and U-Boot.
 - The **OP-TEE** secure OS running on the Cortex-A core in Secure mode.
 - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
 - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
 - **Android** application frameworks running in Linux OS user space (see AOSP^[1] for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP^[2].
- The Linux kernel configuration is based on the reference configuration available in AOSP^[3].

Android application frameworks are based on the AOSP platform manifest^[4]. By default, one of the Google tags^[5] is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



1 How to get the software for this distribution?



The STM32MPU distribution for Android™ is not yet available in the v3 ecosystem releases: please refer to the [STM32MPU distribution for Android page for the v1 ecosystem releases \(in archived wiki\)](#).

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 22.04.2021 - 11:23 / Revision: 09.04.2021 - 13:17

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
 - The boot chain based on TF-A and U-Boot.
 - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
 - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
 - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
 - **Android** application frameworks running in Linux OS user space (see AOSP^[1] for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP^[2].
- The Linux kernel configuration is based on the reference configuration available in AOSP^[3].

Android application frameworks are based on the AOSP platform manifest^[4]. By default, one of the Google tags^[5] is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



1 How to get the software for this distribution?



The STM32MPU distribution for Android™ is not yet available in the v3 ecosystem releases: please refer to the [STM32MPU distribution for Android page for the v1 ecosystem releases \(in archived wiki\)](#).

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application


Android Open Source Project

Stable: 19.10.2021 - 13:54 / Revision: 19.10.2021 - 13:54

The **STM32MPU distribution for Android™** runs on Arm®Cortex®-A processors. It is a subset of the STM32MPU Embedded Software distribution for Android.

It includes the following collection of software components:

- The **OpenSTLinux BSP** that offers services for the application frameworks in the same context:
 - The boot chain based on TF-A and U-Boot.
 - The OP-TEE secure OS running on the Cortex-A core in Secure mode.
 - The **Linux® kernel** running on the Arm® Cortex®-A core in Non-secure mode.
- **Application frameworks** that rely on the services provided by the **OpenSTLinux BSP** to provide specific functionalities (such as code libraries, APIs and tool sets) to ease the development of software applications:
 - **OP-TEE** application frameworks running in the secure OS user space (eg TEE Internal core API for the development of Trusted Applications (TA)).
 - **Android** application frameworks running in Linux OS user space (see AOSP^[1] for more details).



The **OpenSTLinux BSP for Android** has some specificities:

- The Linux kernel source is based on the Common Kernel available in AOSP^[2].
- The Linux kernel configuration is based on the reference configuration available in AOSP^[3].

Android application frameworks are based on the AOSP platform manifest^[4]. By default, one of the Google tags^[5] is used as a reference.

The **Google services** (ex: Cast, Drive, Maps...) are neither embedded nor validated within this **STM32MPU distribution for Android™**.



1 How to get the software for this distribution?



The STM32MPU distribution for Android™ is not yet available in the v3 ecosystem releases: please refer to the [STM32MPU distribution for Android page for the v1 ecosystem releases \(in archived wiki\)](#).

The **STM32MPU distribution for Android™** is available through the three Packages (Starter, Developer, and Distribution) of the STM32MPU Embedded Software distribution for Android.



2 References

- <https://source.android.com/>
- <https://android.googlesource.com/kernel/common/>
- <https://android.googlesource.com/kernel/configs/>
- <https://android.googlesource.com/platform/manifest/>
- <https://source.android.com/setup/start/build-numbers#source-code-tags-and-builds>

Arm® is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



Cortex®

Board support package

Operating System

Linux® is a registered trademark of Linus Torvalds.

Open Portable Trusted Execution Environment

Trusted Execution Environment

Application programming interface

Trusted Application

Android Open Source Project